



Rick Broun, General Manager

Board of Directors:

William Jackson, President

Travis Crow, Vice President

Rex Miller, Secretary/Treasurer

Mark Key, Director

Charlie Busbey, Director

**TO: THE BOARD OF DIRECTORS OF DRIPPING SPRINGS WATER SUPPLY CORPORATION
AND TO ALL OTHER INTERESTED PERSONS:**

Notice is hereby given that the Board of Directors of Dripping Springs Water Supply Corporation will hold a special meeting of the Board of Directors on the **21st day of March 2025**, at **12 p.m.** (noon) at the Corporation's offices located at, 101 Hays Street, Suite 416, Dripping Springs, Texas 78620 at which time the Board will consider and take appropriate action on the following matters:

1. Board convenes
2. Call Roll of Directors
3. Citizens Communication
 - Floor open to discussion on any subject; 3-minute limitation or as otherwise directed by the Board. No action, by law, may be taken. Citizens wishing to speak shall do so after being recognized by the DSWSC President.
4. Haydon Place: Non-Standard Service (NSA)
 - Developer: A. Googins, Property Description: 50 Acres, Number of LUEs: 45
5. Duties, responsibilities, and grievance(s) relating to the position of Administration Specialist
6. Adjourn

A handwritten signature in black ink, appearing to read "Rick Broun", is written over a horizontal line.

Rick Broun, General Manager
Dripping Springs WSC

The Board of Directors reserves the right to adjourn into Executive Session at any time during the course of the meeting to discuss any of the posted matters listed on the agenda pursuant to the applicable section of the Texas Government Code, Subchapter D. No final action, decision, or vote will be taken on any subject or matter in Executive Session.

Dripping Springs Water Supply Corporation is committed to compliance with the Americans with Disabilities Act. Reasonable modifications and equal access to communications will be provided upon request. Please call Rick Broun, General Manager at (512) 858-7897 for further information.

Posted: 03-18-2025